

Pioneer
sound.vision.soul

PIONEER CORPORATION

4-1, Meguro 1-chome, Meguro-ku,
Tokyo 153-8654, Japan
<http://www.pioneer.jp>

PIONEER TECHNOLOGY (MALAYSIA) SDN. BHD.

16th Floor, Menara Uni. Asia 1008 Jalan Sultan Ismail
50250 Kuala Lumpur, Malaysia
Service Hotline: (60)-3-2697-2920
<http://www.pioneermalaysia.com.my>

PIONEER ELECTRONICS ASIACENTRE PTE. LTD.


(Co. Reg. No.: 199203130M)
253 Alexandra Road, #04-01, Singapore 159936
Service Hotline: (65)-6472-7555
<http://www.pioneer.com.sg>

PIONEER (HK) LIMITED

Suites 901-906, 9/F, World Commerce Centre, Harbour City,
11 Canton Road, Tsim Sha Tsui, Kowloon, Hong Kong
Tel.: (852)-2848-6488 Fax: (852)-2530-4896
<http://www.pioneerhongkong.com.hk>

Published by Pioneer Corporation.
Copyright © 2007 Pioneer Corporation.
All rights reserved.

Note: Specifications and design subject to change without notice.
Printed on Recycled Paper.

 <p>Pioneer's EcoSave-labeled products are designed in compliance with its environmental standards.</p>	<p>I. Compulsory Items (Products meet all of these requirements)</p> <p>1. To facilitate recycling, the materials used in resin components of more than 20 grammes are displayed in accordance with ISO standards.</p> <p>2. As designated brominated flame retardants are suspected of releasing dioxins during incineration, they are not used.</p> <p>3. Ozone-depleting substances, such as CFCs and HCFCs, are not used in Pioneer's products or manufacturing processes.</p> <p>4. All batteries are located in such a way that they can be easily removed.</p> <p>5. Use of packing materials has been reduced more than 20 % from fiscal 1990 levels.</p>
	<p>II. Optional Items (Products meet the requirements of at least one of the items)</p> <p>1. Standby power consumption is less than 0.5 W.</p> <p>2. Resinous packing materials, such as styrene foam, are not used.</p> <p>3. Recycled materials are widely used in the product.</p> <p>4. Lead-free solder is used.</p>

HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing, LLC.
Windows Media, and the Windows logo are trademarks, or registered trademarks, of Microsoft Corporation in the United States and/or other countries.
"Dolby", "Pro Logic" and the double-D symbol are registered trademarks of Dolby Laboratories.
"DTS" is a registered trademark of DTS, Inc. and "DTS 2.0" is a trademark of DTS, Inc.
DivX, DivX Certified, and associated logos are trademarks of DivX, Inc., and are used under license.
Product colours and illumination may differ in photographs from actual appearance, due to effects of printing and photography.

For more information, call or write to:



DVD Home Theatre Systems
2007-2008

Vital Gear for
the Digital Generation




Get Ready for a Thrill

Experience the ultimate home theatre, right out of the box. Pioneer DVD systems offer a new dimension to your movies in vivid surround sound, complete with dynamic subwoofer bass. The sleek black finish is the perfect match for your display, adding style to your living room.



HTZ767DVD

PMPO 7500W



MODEL HTZ767DVD consists of:
XV-DV767 DVD/CD Receiver (420 x 60 x 332 mm / 3.3 kg)
S-DV4T Speaker System (Front, Surround 260 x 1096.3 x 260 mm / 4.1 kg, Centre 220 x 90 x 100 mm / 0.7 kg)
S-DV2SW Subwoofer (221 x 401.5 x 390 mm / 5.5 kg)

HTZ565DVD


PMPO 7500W



MODEL HTZ565DVD consists of:
XV-DV767 DVD/CD Receiver (420 x 60 x 332 mm / 3.3 kg)
S-DV2T Speaker System (Front 260 x 1096.3 x 260 mm / 4.1 kg, Surround 100 x 100 x 100 mm / 0.54 kg, Centre 220 x 90 x 100 mm / 0.7 kg)
S-DV2SW Subwoofer (221 x 401.5 x 390 mm / 5.5 kg)

HTZ363DVD

PMPO 7500W



MODEL HTZ363DVD consists of:
XV-DV363 DVD/CD Receiver (420 x 60 x 332 mm / 3.3 kg)
S-DV363 Speaker System (Front, Surround 100 x 100 x 100 mm / 0.54 kg, Centre 220 x 90 x 100 mm / 0.7 kg, Subwoofer 221 x 401.5 x 390 mm / 5.5 kg)

Common Features: HTZ767DVD/HTZ565DVD/HTZ363DVD

- Front Stage Surround Advance (Focus 5.1/Wide 5.1) • Down-Firing Subwoofer • Power Output RMS 100 W x 6 (satellite x 5, subwoofer)
- 4 functions (DVD/Tuner/USB/Line) • DVD/SVCD/VCD/CD player • HDMI Digital Interface • USB Terminal • MCACC Mic Input • Progressive Scan (PAL/NTSC) • Built-in DTS/Dolby Digital/Dolby Pro Logic II Decoders • DivX®/WMA (Windows Media® Audio)/MPEG-4 AAC/MP3 Playback • PhotoViewer (JPEG Playback) • GigaByte Music (DVD Data Disc Playback) • FM/AM 30 Preset Stations • Tall Speaker units: 7.7 cm x 2 + 2.6 cm 2-way, Small Speaker and Centre Speaker units: 7.7 cm, Subwoofer unit: 16 cm



PMPO is provided as a reference figure.

Advanced Features for Enhanced Excitement

HDMI Digital Interface (HTZ767DVD/HTZ565DVD/HTZ363DVD)

HDMI (High Definition Multimedia Interface) is an uncompressed, all-digital audio/video interface. With compatible monitors such as plasma displays, you can enjoy all-digital, superior images with no loss in signal processing. A single-cable connection transmits video signals with no D/A or A/D conversion.

HDMI™ HIGH DEFINITION MULTIMEDIA INTERFACE



'Down-Firing' Subwoofer (HTZ767DVD/HTZ565DVD/HTZ363DVD)

The 'down-firing' subwoofer efficiently disperses sound with little distortion, to fill your room with rich, deep bass. The new innovative design gives quality performance, as well as a stylish look to match your room decor.




Bottom View

	HDMI	USB	MCACC	Front Stage Surround Advance	Sound Retriever	Playlist	Down-Firing Subwoofer
HTZ767DVD	•	•	•	•	•	•	•
HTZ565DVD	•	•	•	•	•	•	•
HTZ363DVD	•	•	•	•	•	•	•
HTZ262DVD	-	•	-	-	-	•	-
HTZ161DVD	-	•	-	-	-	•	-
HTP-330	-	-	•	•	•	-	-

HTZ262DVD


PMPO 4500W



MODEL HTZ262DVD consists of:
XV-DV262 DVD/CD Receiver (420 x 60 x 332 mm / 3.1 kg)
S-DV262T Speaker System (Front, Surround 260 x 1096.3 x 260 mm / 4.1 kg, Centre 220 x 90 x 100 mm / 0.7 kg)
S-DV262SW Subwoofer (190 x 360 x 320 mm / 4.0 kg)

HTZ161DVD

PMPO 4500W



MODEL HTZ161DVD consists of:
XV-DV161 DVD/CD Receiver (420 x 60 x 332 mm / 3.1 kg)
S-DV161 Speaker System (Front 105 x 115 x 114 mm / 0.6 kg, Centre 115 x 105 x 114 mm / 0.6 kg, Surround 105 x 118 x 114 mm / 0.63 kg, Subwoofer (190 x 360 x 317 mm / 4.2 kg)

Common Features: HTZ262DVD/HTZ161DVD

- USB Terminal • 3 Spot Front Surround (HTZ161DVD) • Power Output RMS 60 W x 6 (satellite x 5, subwoofer) • 4 functions (DVD/Tuner/USB/Line) • DVD/SVCD/VCD/CD player • Progressive Scan (PAL/NTSC) • Built-in DTS/Dolby Digital/Dolby Pro Logic II Decoders • DivX®/WMA (Windows Media® Audio)/MPEG-4 AAC/MP3 Playback • PhotoViewer (JPEG Playback) • PHOTO + MUSIC MIX • PLAYLIST for easy song selection • GigaByte Music (DVD Data Disc Playback) • FM/AM 30 Preset Stations • Tall Speaker units: 7.7 cm x 2 + 2.6 cm 2-way, Small Speaker and Centre Speaker units: 7.7 cm, Subwoofer unit: 16 cm



HTP-330

PMPO 7500W



5.1ch Surround Speaker System

MODEL HTP-330 consists of:
SX-SW330 Receiver Subwoofer (200 x 375 x 428 mm / 9.0 kg)
S-ST330 Speaker System (Front/Centre/Surround 100 x 100 x 102.5 mm / 0.55 kg)
 Separate Display (200 x 51 x 50 mm / 0.22 kg) with 3 m cable for connection with subwoofer

* DVD recorder is not included

HTP-330

- Dual Centre Speakers • Front Stage Surround Advance (Focus 5.1/Wide 5.1) • Power Output RMS 100 W x 6, 5.1-ch receiver subwoofer
- 5 functions (Tuner/Digital 1/2/3, Analogue) • MCACC Mic Input • Built-in DTS/Dolby Digital/Dolby Pro Logic II Decoders • Sound Retriever
- FM/AM 30 Preset Stations • Front/Centre/Surround Speaker units: 7.7 cm, Subwoofer unit: 16 cm




Musical Blast

Pioneer DVD Music Systems are made especially for music lovers — featuring powerful sound with the extra punch of a subwoofer. Whether it's movies, music, or karaoke, these sleek systems offer never ending excitement and dynamism.

EV9DVD


PMPO / 7500W



MODEL EV9DVD consists of:
XV-EV9 DVD Cassette Deck Receiver (170 x 352.5 x 340.1 mm / 7.2 kg)
S-EV9V Speaker System (Front 200 x 352.5 x 244 mm / 3.8 kg, Centre 361 x 108 x 96 mm / 0.9 kg, Surround 200 x 352.5 x 244 mm / 3.5 kg, Subwoofer 200 x 352.5 x 437 mm / 6.7 kg)

EV7DVD

PMPO / 7500W



MODEL EV7DVD consists of:
XV-EV7 DVD Cassette Deck Receiver (170 x 352.5 x 340.1 mm / 7.2 kg)
S-EV7V Speaker System (Front 200 x 352.5 x 244 mm / 3.8 kg, Centre 361 x 108 x 96 mm / 0.9 kg, Surround 190 x 108 x 96 mm / 0.6 kg, Subwoofer 200 x 352.5 x 437 mm / 6.7 kg)

EV5DVD

PMPO / 2500W



MODEL EV5DVD consists of:
XV-EV5 DVD Cassette Deck Receiver (170 x 352.5 x 340.1 mm / 7.2 kg)
S-EV5V Speaker System (Front 200 x 352.5 x 244 mm / 3.8 kg)

Common Features: EV9DVD/EV7DVD/EV5DVD

- **X. Boom** • **PLAYLIST for easy song selection** • Power Output RMS front: 100 W x 2, centre/surround: 100 W x 3 (EV9DVD/EV7DVD), subwoofer: 50 W x 2 (EV9DVD), 100 W (EV7DVD) • 5 functions (DVD/DECK/Tuner/USB/Line) • DVD/SVCD/VCD/CD player • Progressive Scan (PAL/NTSC) • Built-in DTS/Dolby Digital/Dolby Pro Logic II (EV9DVD/EV7DVD) Decoders, Built-in DTS/Dolby Digital (EV5DVD) Decoders • DivX®/WMA (Windows Media® Audio)/MPEG-4 AAC/MP3 Playback • PhotoViewer (JPEG Playback) • PHOTO + MUSIC MIX • GigaByte Music (DVD Data Disc Playback) • Full Karaoke Functions • TV Preset Remote Control (EV9DVD/EV7DVD) • FM/AM 30 Preset Stations • Auto Reverse Cassette Deck • Music Search • Front Speaker unit: 16 cm + 5.2 cm 2-way, Surround Speaker unit: 16 cm + 5.2 cm 2-way (EV9DVD), 7.7 cm (EV7DVD), Centre Speaker unit: 7.7 cm, Subwoofer unit: 16 cm (Twin for EV9DVD)



PMPO is provided as a reference figure.

MF5DVD



PMPO / 650W



MODEL MF5DVD consists of:
XV-MF5 Stereo DVD/CD Receiver (170 x 255 x 305 mm / 3.4 kg)
S-MF5 Speaker System (142 x 254 x 252 mm / 2.9 kg)

MF5DVD


- **Sound Retriever** • **PLAYLIST for easy song selection** • Power Output RMS 25 W x 2 • 5 functions (DVD/Tuner/USB/Line/Front Audio In) • DVD/SVCD/VCD/CD player • Progressive Scan (PAL/NTSC) • Built-in DTS/Dolby Digital Decoders • Virtual Surround • DivX®/WMA (Windows Media® Audio)/MPEG-4 AAC/MP3 Playback • PhotoViewer (JPEG Playback) • PHOTO + MUSIC MIX • GigaByte Music (DVD Data Disc Playback) • FM/AM 30 Preset Stations • Speaker units: 10 cm + 2 cm 2-way



HTD88DVD



PMPO / 7500W



MODEL HTD88DVD consists of:
XV-DV88 DVD/CD Receiver (420 x 126 x 445 mm / 9.8 kg)
S-DV88 Speaker System (Front 155 x 364 x 190 mm / 2.6 kg, Centre 350 x 120 x 75 mm / 1.0 kg, Surround 155 x 110 x 110 mm / 0.8 kg, Subwoofer 190 x 360 x 327 mm / 5.0 kg)

HTD88DVD

- **Karaoke Jukebox (5 disc changer)** • **3 Spot Front Surround** • Power Output RMS 100 W x 6 (satellite x 5, subwoofer) • 5 functions (DVD/Tuner/TV/Line 1/Line 2) • 5-disc DVD/SVCD/VCD/CD player • Progressive Scan (NTSC only) • Built-in DTS/Dolby Digital/Dolby Pro Logic II Decoders • WMA (Windows Media® Audio)/MP3 Playback • PhotoViewer (JPEG Playback) • FM/AM 30 Preset Stations • Front Speaker units: 10 cm + 5.2 cm 2-way, Centre and Surround Speaker units: 8.7 cm, Subwoofer unit: 16 cm



